

**AIRAALFAREQUOT Version 7
FARE QUOTE ENTRIES
XML Definition**

Sabre

**For
DIY XML Power Tool Kit**

3/31/1999

Sabre Inc.

Date

10-01-2002

© 2000, Sabre Inc. All rights reserved.

This documentation is the confidential and proprietary intellectual property of Sabre Inc. Any unauthorized use, reproduction, preparation of derivative works, performance, or display of this document, or software represented by this document, without the express written permission of Sabre Inc. is strictly prohibited.

Sabre, the Sabre logo design, and (names of Sabre products) are trademarks and/or service marks of an affiliate of Sabre Inc. All other trademarks, service marks, and trade names are owned by their respective companies

Table of Contents

Table of Contents

Segment ID ERRMSG

Segment ID FQHEDR

Segment ID FQMSG1

Segment ID FQFBR0

Segment ID FQDATA

Segment ID FQRUL0

Segment ID FQRTG0

AIRAALFAREQUOT Version 7

FARE QUOTE ENTRIES

Segment ID ERRMSG

Nesting Level 0 - Mandatory/Optional Flag O Repeat Factor 1

XML Tag	Rept. fact	Min. Size	MAX. Size	Description	Example
errorMessage	10	1	999	Error Message/Error Table Entry & Header	
errorNumber	1	1	999	Error Number	

Segment ID FQHEDR

Nesting Level 0 - Mandatory/Optional Flag O Repeat Factor 1

XML Tag	Rept. fact	Min. Size	MAX. Size	Description	Example
pseudoCityCode	1	3	5	Pseudo city code	"DFW"
IATA_Citycode	1	3	5	IATA City code	"LAX"
carrierCode	1	1	3	CARRIER CODE	"AA"
currencyCode	1	1	3	CURRENCY CODE	"USD"
otherCarriersInMarket	999	2	3	OTHER CARRIERS IN MARKET	"AX"
headerMessage	999	1	999	HEADER MESSAGE	"THE FOLLOWING CARRIERS ALSO PUBLISH FARES DFW-LAX:"
outLocalDateTimeOfDeparture	1	5	9	outbound local date/time of dep	"1OCT02"
inLocalDateTimeOfDeparture	1	5	9	inbound local date/time of dep	
marketedAirlineCode	999	1	3	MARKETED AIRLINE CODE	
nonStopFlights	999	1	2	NONSTOP FLIGHTS	
intermediateStopFlights	999	1	2	INTERMEDIATE STOP FLIGHTS	
connectingCarrier	999	1	2	CONNECTING CARRIER	
sabreServiceLevel	999	1	1	SABRE Service Level	
noReturnFlightSegment	999	1	1	NO RETURN FLIGHT SEGMENT	

Segment ID FQMSG1

Nesting Level 0 - Mandatory/Optional Flag O Repeat Factor 999

XML Tag	Rept. fact	Min. Size	MAX. Size	Description	Example
yYFareMessage	20	1	50	YY FARE MESSAGE	

Segment ID FQFBR0

Nesting Level 0 - Mandatory/Optional Flag O Repeat Factor 999

XML Tag	Rept. fact	Min. Size	MAX. Size	Description	Example
fareBasisCode	1	1	20	Fare basis code	"F26"
passengerType	4	1	3	PASSENGER TYPE	""
baseFareAmount	1	1	20	BASE FARE AMOUNT	"1158.14"
baseFareCurrencyCode	1	1	3	Base Fare Currency Code	"USD"

Segment ID FQDATA

Nesting Level 1 - Mandatory/Optional Flag O Repeat Factor 1

XML Tag	Rept. fact	Min. Size	MAX. Size	Description	Example
carrier1	1	2	3	CARRIER 1	""
fareAmount	2	1	216	FARE AMOUNT	"1245.00"
YYFare	1	1	1	YY FARE	""
quoteDate	1	1	7	QUOTE DATE	""
effectiveDate	1	1	8	EFFECTIVE DATE	""
expirationDate	1	1	9	EXPIRATION DATE	""
ackRequest	1	1	1	ACKNOWLEDGEMENT REQUEST	""
ticketOriginalIssueDate	1	1	8	TICKET ORIGINAL ISSUE DATE	""
bookingClassCode	1	1	2	BOOKING CLASS CODE	"F"
cabinIndicator	1	1	2	CABIN	"F"

AIRAALFAREQUOT Version 7 FARE QUOTE ENTRIES

oneWayRTIndicator	2	1	2	ONE WAY / RT INDICATOR	"X"
routingNumber	1	1	6	ROUTING NUMBER	"5"
sameDayFareIndicator	1	1	1	SAME DAY FARE INIDCATOR	""
typeOfFare	1	1	1	TYPE OF FARE	"P"
advancePurchase	1	1	9	ADVANCE PURCHASE	".."
minimumStay	1	1	9	MINIMUM STAY	".."
maximumStay	1	1	9	MAXIMUM STAY	"30"

Segment ID FQRUL0

Nesting Level 2 - Mandatory/Optional Flag O Repeat Factor 1

XML Tag	Rept. fact	Min. Size	MAX. Size	Description	Example
ruleCategoryIndicator	28	1	2	RULE CATEGORY INDICATOR	"10"

Segment ID FQRTG0

Nesting Level 0 - Mandatory/Optional Flag O Repeat Factor 999

XML Tag	Rept. fact	Min. Size	MAX. Size	Description	Example
routingNumber	1	1	4	ROUTING NUMBER	"0005"
globalIndicator	1	1	2	GLOBAL INDICATOR	"DO"
mileageAllowance	1	1	10	MILEAGE ALLOWANCE	